

Year

2016 2017 2018 2019 2020 2021 2022 2023

MSH Blood Culture Specimens: % Susceptibility**Gram Positive Organisms**

<i>Staphylococcus aureus</i>	31	56	69	77	72	74	90	78	# isolates	Green
Ampicillin										Yellow
Amoxicillin/Clavulanic acid			100	100	100	100	95	100		Red
Cloxacillin	100	79	86	87	96	92	90	96		White
Cefazolin	100	79	86	87	96	92	90	96		Blue
High Level Gentamycin									R	
Vancomycin	100	100	100	100	100	100	100	100		Magenta
<i>Coagulase Negative Staphylococcus</i>	28	43	35	34	60	75	58	26	# isolates	Dark Purple
Ampicillin										
Amoxicillin/Clavulanic acid										
Cloxacillin	33	50	40	41	38	47	50	42		
Cefazolin	50	60	40	41	38	47	50	42		
High Level Gentamycin										
Vancomycin	100	100	100	100	100	100	100	100		
<i>Enterococcus faecalis</i>	9	19	29	21	19	42	35	29	# isolates	PLEASE NOT
Ampicillin	100	100	100	100	100	100	100	100		Exercise cau
Amoxicillin/Clavulanic acid										organisms ar
Cloxacillin										It is recomm
Cefazolin										are present
High Level Gentamycin	89	79	81	90	79	86	83	86		to preform
Vancomycin	100	100	100	100	100	100	100	100		

PLEASE NOT
 Exercise cau
 organisms ar
 It is recomm
 are present
 to preform

Year

2016 2017 2018 2019 2020 2021 2022 2023

MSH Blood Culture Specimens: % Susceptibility**Gram Negative Organisms**

	2016	2017	2018	2019	2020	2021	2022	2023	# isolates
<i>Escherichia coli (excluding ESBL)</i>	131	163	163	145	161	161	172		
Ampicillin	61	64	53	57	57	60	60		
Amoxicillin/Clavulanic acid		85	82	85	84	84	95		
Cefazolin	89	81	69	68	60	75	78		
Ceftriaxone	98	97	97	95	98	98	97		
Ceftazidime	97	97	98	96	97	97	97		
Piperacillin/Tazobactam	96	98	96	97	94	97	98		
Ertapenem	99	100	100	100	100	99	99		
Meropenem	100	100	100	100	100	99	99		
Gentamicin	92	91	90	92	93	92	94		
Tobramycin	91	92	92	95	93	94	98		
Amikacin	100	100	100						
Trimethoprim/Sulfamethoxazole	82	85	78	83	78	81	78		
Ciprofloxacin	76	82	78	72	68	75	79		
<i>Escherichia coli (ESBL)</i>					28	32		# isolates	
Ampicillin					0	0			
Amoxicillin/Clavulanic acid					50	100			
Cefazolin					0	0			
Ceftriaxone					0	0			
Ceftazidime					4	0			
Piperacillin/Tazobactam					93	100			
Ertapenem					100	100			
Meropenem					100	100			
Gentamicin					79	56			
Tobramycin					71	64			
Trimethoprim/Sulfamethoxazole					61	53			
Ciprofloxacin					25	7			
<i>Escherichia coli (including ESBL)</i>	61	159	189	201	172	184	188	203	# isolates
Ampicillin	52	50	56	43	48	49	51	50	
Amoxicillin/Clavulanic acid			82	79	82	85	80	95	
Cefazolin	89	72	69	56	57	53	64	63	
Ceftriaxone	95	80	83	78	80	85	83	82	
Ceftazidime	95	79	83	79	85	85	84	82	
Piperacillin/Tazobactam	95	96	97	95	97	95	96	98	
Ertapenem	100	99	100	100	100	100	99	99	
Meropenem	100	100	100	100	100	100	99	99	
Gentamicin	97	87	89	90	90	90	90	88	
Tobramycin	97	83	88	90	92	91	91	93	
Amikacin	100	99	99	100					
Trimethoprim/Sulfamethoxazole	77	73	78	72	79	75	78	74	
Ciprofloxacin	79	67	74	70	66	60	68	68	

Year	2016	2017	2018	2019	2020	2021	2022	2023	# isolates
<i>Klebsiella pneumoniae (excluding ESBL)</i>							49	50	
Ampicillin						R	R		
Amoxicillin/Clavulanic acid						98	98		
Cefazolin						98	98		
Ceftriaxone						100	98		
Ceftazidime						100	98		
Piperacillin/Tazobactam						100	98		
Ertapenem						100	98		
Meropenem						100	100		
Gentamicin						100	98		
Tobramycin						100	98		
Trimethoprim/Sulfamethoxazole						92	96		
Ciprofloxacin						100	96		
<i>Klebsiella pneumoniae (ESBL)</i>						5	2		# isolates
Ampicillin						R	R		
Amoxicillin/Clavulanic acid						40	50		
Cefazolin						0	0		
Ceftriaxone						0	0		
Ceftazidime						0	0		
Piperacillin/Tazobactam						60	50		
Ertapenem						100	100		
Meropenem						100	100		
Gentamicin						80	50		
Tobramycin						60	50		
Amikacin									
Trimethoprim/Sulfamethoxazole						0	0		
Ciprofloxacin						20	0		
<i>Klebsiella pneumoniae(including ESBL)</i>	17	33	36	58	51	51	54	52	# isolates
Ampicillin	R	R	R	R	R	R	R	R	
Amoxicillin/Clavulanic acid			94	97	92	94	93	96	
Cefazolin	82	94	86	86	84	78	89	93	
Ceftriaxone	88	94	92	93	96	94	91	94	
Ceftazidime	88	94	92	95	96	94	91	94	
Piperacillin/Tazobactam	88	100	92	100	92	96	96	96	
Ertapenem	100	100	97	100	100	100	100	98	
Meropenem	100	100	97	100	100	100	100	100	
Gentamicin	88	97	92	98	100	100	98	96	
Tobramycin	82	97	92	98	98	96	96	96	
Amikacin	100	100	100	100					
Trimethoprim/Sulfamethoxazole	82	91	94	90	94	92	83	92	
Ciprofloxacin	82	100	86	93	84	86	93	94	

Year	2016	2017	2018	2019	2020	2021	2022	2023	# isolates
<i>Enterobacter spp</i>	7	13	16	17	17	13	10	11	
Ampicillin		R	R	R	R	R	R	R	
Amoxicillin/Clavulanic acid			6	6	0	0	0	0	
Cefazolin	R	R	R	R	R	R	R	R	
Ceftriaxone	71	62	63	76	65	92	50	80	
Ceftazidime	71	62	63	82	63	92	50	91	
Piperacillin/Tazobactam	83	67	64	88	71	92	50	82	
Ertapenem	100	100	81	88	76	92	80	100	
Meropenem	100	100	94	100	100	100	100	100	
Gentamicin	86	85	100	94	100	100	100	100	
Tobramycin	86	85	100	94	100	100	100	100	
Amikacin	100	100	100	100					
Trimethoprim/Sulfamethoxazole	86	92	94	94	100	92	100	100	
Ciprofloxacin	86	92	100	100	100	100	100	100	
<i>Klebsiella aerogenes</i>						4	5		# isolates
Ampicillin						R	R		
Amoxicillin/Clavulanic acid						0	1		
Cefazolin						R	R		
Ceftriaxone						100	60		
Ceftazidime						100	60		
Piperacillin/Tazobactam						100	60		
Ertapenem						75	80		
Meropenem						100	100		
Gentamicin						100	100		
Tobramycin						100	100		
Trimethoprim/Sulfamethoxazole						100	100		
Ciprofloxacin						100	100		
<i>Pseudomonas aeruginosa</i>	9	21	23	21	22	23	28	23	# isolates
Ampicillin									
Amoxicillin/Clavulanic acid			R	R	R	R	R	R	
Cefazolin									
Ceftriaxone									
Ceftazidime	89	95	91	81	91	91	89	86	
Piperacillin/Tazobactam	89	100	91	90	91	91	89	100	
Ertapenem									
Meropenem	100	100	87	86	100	91	93	95	
Gentamicin	100	100	100	100	95	100	100	100	
Tobramycin	100	100	100	100	100	100	100	100	
Amikacin	100	100	100	100					
Trimethoprim/Sulfamethoxazole									
Ciprofloxacin	100	100	100	95	95	100	96	100	

Year	2016	2017	2018	2019	2020	2021	2022	2023	# isolates
Klebsiella pneumoniae (excluding ESBL)					164	206			
Ampicillin					R	R			
Amoxicillin/Clavulanic acid				96	99				
Cefazolin				96	98				
Ceftriaxone				99	99				
Ceftazidime				99	99				
Piperacillin/Tazobactam				98	99				
Ertapenem				99	100				
Meropenem				100	100				
Gentamicin				99	100				
Tobramycin				99	100				
Nitrofurantoin				30	74				
Trimethoprim/Sulfamethoxazole				92	95				
Ciprofloxacin				92	96				
Klebsiella pneumoniae (ESBL)				12					# isolates
Ampicillin				R					
Amoxicillin/Clavulanic acid				50					
Cefazolin				0					
Ceftriaxone				0					
Ceftazidime				0					
Piperacillin/Tazobactam				50					
Ertapenem				83					
Meropenem				100					
Gentamicin				83					
Tobramycin				67					
Nitrofurantoin				0					
Trimethoprim/Sulfamethoxazole				17					
Ciprofloxacin				8					
Klebsiella pneumoniae (including ESBL)	97	169	129	150	157	133	176	230	# isolates
Ampicillin	R	R	R	R	R	R	R	R	
Amoxicillin/Clavulanic acid			91	91	95	93	93	97	
Cefazolin	92		86	89	91	89	90	88	
Ceftriaxone	98	92	88	91	92	91	92	88	
Ceftazidime	98	92	87	91	93	92	92	89	
Piperacillin/Tazobactam	94	96	92	94	97	98	94	99	
Ertapenem	99	99	98	99	99	99	98	100	
Meropenem	99	99	98	99	99	100	100	100	
Gentamicin	99	94	93	97	99	97	98	96	
Tobramycin	99	91	91	97	98	96	97	98	
Amikacin	100	99	100	99					
Nitrofurantoin	45	39	35	29	28	27	28	68	
Trimethoprim/Sulfamethoxazole	95	87	85	89	90	90	87	87	
Ciprofloxacin	97	91	91	90	87	82	86	88	

Year		2016	2017	2018	2019	2020	2021	2022	2023	# isolates
<i>Enterobacter spp</i>		24	27	47	38	34	34	35	42	
Ampicillin			R	R	R	R	R	R	R	
Amoxicillin/Clavulanic acid				2	0	0	3	0	1	
Cefazolin			R	R	R	R	R	R	R	
Ceftriaxone		83	74	77	68	62	71	74	76	
Ceftazidime		83	74	79	79	71	74	83	79	
Piperacillin/Tazobactam		83	76	79	71	71	74	80	80	
Ertapenem		96	100	87	89	81	76	94	91	
Meropenem		100	100	100	100	100	100	100	98	
Gentamicin		100	96	100	97	100	100	100	98	
Tobramycin		100	96	100	97	100	100	100	98	
Amikacin		100	100	100	100					
Nitrofurantoin		50	52	43	42	32	47	49	83	
Trimethoprim/Sulfamethoxazole		96	96	96	97	91	91	97	93	
Ciprofloxacin		96	100	96	97	97	97	97	98	
<i>Klebsiella aerogenes</i>							20	23		# isolates
Ampicillin							R	R		
Amoxicillin/Clavulanic acid							0	1		
Cefazolin							R	R		
Ceftriaxone							85	61		
Ceftazidime							85	57		
Piperacillin/Tazobactam							85	67		
Ertapenem							100	100		
Meropenem							100	100		
Gentamicin							100	100		
Tobramycin							100	100		
Nitrofurantoin							25	80		
Trimethoprim/Sulfamethoxazole							95	100		
Ciprofloxacin							90	95		
<i>Proteus mirabilis</i>		46	68	79	90	80	69	111	129	# isolates
Ampicillin		83	91	80	82	81	72	75	76	
Amoxicillin/Clavulanic acid				99	98	95	94	89	96	
Cefazolin			96	91	98	94	94	92	91	
Ceftriaxone		96	97	95	100	98	99	96	95	
Ceftazidime		96	97	95	98	98	97	95	96	
Piperacillin/Tazobactam		98	100	99	100	98	100	99	100	
Ertapenem		100	100	100	100	100	100	100	100	
Meropenem		100	100	100	100	100	99	100	98	
Gentamicin		89	94	90	93	89	96	93	95	
Tobramycin		89	96	94	96	93	99	95	97	
Amikacin		100	100	100	100					
Nitrofurantoin			R	R	R	R	R	0	0	
Trimethoprim/Sulfamethoxazole		76	91	90	86	90	80	86	82	
Ciprofloxacin		96	96	95	88	80	87	87	82	

Year	2016	2017	2018	2019	2020	2021	2022	2023	# isolates
<i>Pseudomonas aeruginosa</i>	48	77	65	88	84	77	103	109	
Ampicillin									
Amoxicillin/Clavulanic acid			R	R	R	R	R	R	
Cefazolin									
Ceftriaxone									
Ceftazidime	85	86	89	92	93	97	93	96	
Piperacillin/Tazobactam	90	92	92	94	92	99	94	100	
Ertapenem									
Meropenem	92	91	92	88	94	99	94	99	
Gentamicin	94	94	97	98	98	100	97	100	
Tobramycin	98	100	98	99	99	100	99	100	
Amikacin	98	100	97	98					
Nitrofurantoin									
Trimethoprim/Sulfamethoxazole									
Ciprofloxacin	94	96	89	94	94	90	87	96	

Year

2016 2017 2018 2019 2020 2021 2022 2023

MSH Urine Culture Specimens: % Susceptibility**Gram Positive Organisms**

<i>Staphylococcus Aureus</i>	11	21	30	29	31	34	29	38	# isolates	
Ampicillin										Yellow
Amoxicillin/Clavulanic Acid			100	96	100	100	93	100		Red
Cefazolin	100	65	83	93	84	85	93	100		
Cloxacillin	100	62	83	93	84	85	93	100		Blue
Trimethoprim/Sulfamethoxazole	100	100	100	100	97	100	100	100		
Ciprofloxacin	100	62	80	83	71	74	93	86		Pink
Nitrofurantoin	100	100	100	97	97	100	100	100		
Tetracyclin	91	86	93	100	97	97	100	95		Dark Purple
Rifampin	100	100	100	100	100	100	100	100		
Vancomycin	100	100	100	100	100	100	100	100		
<i>Enterococcus Species</i>	144	221	246	222	264	255	265	335	# isolates	
Ampicillin	88	86	88	87	88	90	92	91		
Amoxicillin/Clavulanic Acid										100
Cefazolin										
Cloxacillin										
Trimethoprim/Sulfamethoxazole										
Ciprofloxacin	72	72	73	75	80	78	82	86		
Nitrofurantoin	90	90	87	86	86	89	91	93		
Tetracyclin	26	29	26	31	27	21	24	28		
Rifampin										
Vancomycin	97	100	99	100	100	100	100	100		
<i>Enterococcus faecalis</i>			5	10	10	6	9		# isolates	
Ampicillin			100	100	100	100	100			
Amoxicillin/Clavulanic Acid										
Cefazolin										
Cloxacillin										
Trimethoprim/Sulfamethoxazole										
Ciprofloxacin		60	80	90	67	100				
Nitrofurantoin		100	100	100	100	100				
Tetracyclin		20	20	50	33	22				
Rifampin										
Vancomycin		100	100	100	100	100				
<i>Enterococcus faecium</i>		4	3	5	0	2			# isolates	
Ampicillin		0	0	0	0	0				
Amoxicillin/Clavulanic Acid										
Cefazolin										
Cloxacillin										
Trimethoprim/Sulfamethoxazole										
Ciprofloxacin		0	0	0	0	0				
Nitrofurantoin		0	0	40	0	0				
Tetracyclin		50	67	0	0	0				
Rifampin										
Vancomycin		100	100	100	0	100				

Year	2016	2017	2018	2019	2020	2021	2022	2023
All locations <i>S. pneumoniae</i> Specimens: % Susceptibility								
Gram Positive Organisms								
Blood culture and spinal fluid specimens	33	38	34	41	8	17	39	51
Penicillin V (oral)								100
Penicillin G (parenteral)								100
Ceftriaxone								100
Levofloxacin	100	100	100	100	100	100	97	100
Meropenem	100	94	94	95	100	94	98	98
Vancomycin	100	100	100	100	100	100	100	100
Trimethoprim/Sulfamethoxazole								82
Erythromycin								71
Meningeal interpretation	33	42	38	41	8	18	39	51
Penicillin V (oral)								# isolates
Penicillin G (parenteral)	85	90	89	90	88	78	79	86
Ceftriaxone	97	95	95	98	100	94	89	98
Levofloxacin								
Meropenem								
Vancomycin								
Trimethoprim/Sulfamethoxazole								
Erythromycin								
Non-meningeal interpretation	33	42	38	41	8	18	39	51
Penicillin V (oral)								# isolates
Penicillin G (parenteral)	100	100	97	100	100	94	97	100
Ceftriaxone	100	100	100	100	100	94	97	100
Levofloxacin								
Meropenem								
Vancomycin								
Trimethoprim/Sulfamethoxazole								
Erythromycin								
All specimens except blood cultures and spinal fluid specimens	29	40	30	30	24	14	15	26
Penicillin V (oral)	79	72	90	83	75	57	87	83
Penicillin G (parenteral)	100	91	100	100	100	83	100	100
Ceftriaxone	100	92	100	100	100	86	100	100
Levofloxacin	97	97	97	100	100	100	100	100
Meropenem								83
Vancomycin								100
Trimethoprim/Sulfamethoxazole	90	88	86	80	79	79	93	88
Erythromycin	66	60	76	57	50	64	79	77

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

E

tion in interpretation if fewer than 30

re reported for a given species.

ended that at least 30 organism isolates

for a given reporting period in order

valid statistical comparisons.

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection

90% or greater susceptible
50-89% susceptible
less than 50% susceptible
antibiotic not tested
less than 30 organisms reported
Intrinsic/Acquired Resistance
C. freundii is intrinsically resistant to Amoxicillin/Clavulanic Acid
E. aerogenes and E. cloacae are intrinsically resistant to Amoxicillin/Clavulanic Acid
Results for this drug not available - as per CLSI these drugs lack efficacy and are not suitable for AST or treatment of infection